

Clarke, Freddie (Avison Young - UK)

From: Claire Westwood <claire.westwood@threerivers.gov.uk>
Sent: 08 April 2021 07:23
To: Clarke, Freddie (Avison Young - UK)
Cc: Sturgess, Tim (Avison Young - UK); Pigott, Matthew (Avison Young - UK)
Subject: 21/0573/FUL

Follow Up Flag: Follow up
Flag Status: Completed

External Sender

Freddie

Please find below supplementary comments from HCC as Highways Authority that are also available to view online. You will note that HCC are requesting an addendum to the Transport Assessment.

I would be grateful if you would confirm receipt and that you are able to action this request.

Kind Regards

Claire Westwood

Development Management Team Leader
Development Management
Three Rivers District Council
Three Rivers House, Northway, Rickmansworth, Herts, WD3 1RL
01923 776611
www.threerivers.gov.uk <https://my.threerivers.gov.uk/>



From: Adam Whinnett [mailto:Adam.Whinnett@hertfordshire.gov.uk]
Sent: 07 April 2021 15:16
To: Claire Westwood <claire.westwood@threerivers.gov.uk>
Cc: Alan Story <Alan.Story@hertfordshire.gov.uk>
Subject: Planning Application 21/0573/FUL (HCC ref. TR/6075/2021) - Warehouse Proposals at Maple Lodge Close, Maple Cross

Good afternoon Claire

A couple of supplemental recommendations and comments in respect of the above application.

Permitted Hotel Development

Following consideration of the permitted hotel development (which was granted planning permission in 2008 and then subsequently confirmed in 2018 through the issuing of the Certificate of Lawfulness as part of application 18/1424/CLPD), HCC as Highway Authority (HA) are requesting that the applicant submit the following as an addendum to the full Transport Assessment (TA):

- TRICs assessment for a hotel of the permitted size for both the AM and PM peak;

- . Updated Linsig model and results for the proposed signalised junction at Denham Way / Private Access road, factoring in the additional predicted trips from the hotel site.

It is acknowledged that no trip generation was submitted as part of the original planning application for the hotel in 2007 (07/1401/FUL) nor requested by the HA at that time. Nevertheless due to the original planning permission being granted 14 years ago, it would enable a robust assessment of the proposed signalised junction in the context of the current application (21/0573/FUL) and other committed developments in the area.

In the absence of the HA being consulted on the CoL, our Authority were unaware that the 2007 consent was considered committed. The HA does recognise that the TA for 21/0573/FUL has acknowledged the hotel development, but that it has failed to provide any traffic generation associated.

Trip Rates to the Thames Water Sewage Works

We have had a number of queries from local residents in relation to a apparent increase in the number of trips by Thames Water to and from their Sewage Works site via Maple Lodge Close. Are you aware of any material changes to the Thames Water site that may have resulted in an increase in trips?

Happy to discuss further if needed.

Kind regards



Adam Whinnett
Senior Development Officer | Highways Development Management
Hertfordshire County Council
County Hall, Pegs Lane, Hertford, SG13 8DE, Postal Point: CHN115



****Disclaimer****

The information in this message should be regarded as confidential and is intended for the addressee only unless explicitly stated. If you have received this message in error it must be deleted and the sender notified. The views expressed in this message are personal and not necessarily those of Hertfordshire County Council unless explicitly stated. Please be aware that emails sent to or received from Hertfordshire County Council may be intercepted and read by the council. Interception will only occur to ensure compliance with council policies or procedures or regulatory obligations, to prevent or deter crime, or for the purposes of essential maintenance or support of the email system.

Click [here](#) to report this email as spam.

This message has been scanned for malware by Websense. www.websense.com

This email is confidential and is intended solely for the use of the individual for whom it is addressed. Any views or opinions presented are solely those of the author and do not necessarily represent those of Three Rivers District Council. If you are not the intended recipient, be advised that you have received this email in error and that any use, dissemination, forwarding, printing or copying of this email is strictly prohibited. If you have received this email in error please notify Three Rivers by telephone on +44 (1923) 776611.

Please be aware that emails sent to or received from Three Rivers District Council may be intercepted and read by the Council. Interception will only occur to ensure compliance with Council policies or procedures or regulatory obligations, to prevent or deter crime, or for the purposes of essential maintenance or support of the email system.

We take your privacy seriously and will only use your personal information to provide you the service you have requested from us. We want you to understand the choice and control you have over the personal data we hold about you.

To find out more, please view our Privacy Notice at <https://threerivers.gov.uk/privacy-notice>

This message has been scanned for malware by Websense. www.websense.com